

Avery Dennison®  
Digital Overlamine Solutions

# Level up your graphics protection game





**Printed graphics need protection. Avery Dennison has the solution.**

Level up protection and get your graphics in the game for vibrant color that lasts across a multitude of surfaces and exposures. Avery Dennison® digital overlaminate films (DOL) are an important pairing for any digitally printed graphic that must withstand direct UV, weather and environmental exposure or foot traffic.

Our protective overlaminates provide maximum durability and color longevity when paired with your selected print media. With a complete line of cast, calendared and specialty overlaminate films, Avery Dennison offers more quality options and finish choices for every budget and durability need. All Avery Dennison durability claims are specific to DOLs paired in combination with Avery Dennison cast and calendared digitally printable films.

For maximum impact, request the best for your application by pairing MPI 1105 supercast series wrapping films with an Avery Dennison DOL Max overlaminate.

**DOL Z Series**  
High-Performance Cast DOL  
Vertical Durability



DOL Z Series films are engineered for mid-term cast DOL graphic performance, especially for exterior applications such as perforated graphics, fleet trailer graphics, vehicle wraps and outdoor signage with flat or compound curves that often come into contact with rivets.

\*DOL 1360Z only

**DOL 1060Z**  
Gloss Finish  
Up to 5 year Vertical

2.1 mil film with a smooth PET liner and permanent adhesive.

**DOL 1360Z**  
Gloss Finish  
Up to 4 year Vertical

1.3 mil film with a smooth PET liner and permanent adhesive.

**DOL 1380Z**  
Matte Finish  
Up to 4 year Vertical

1.3 mil film with a kraft paper liner and permanent adhesive.

**DOL 1080Z**  
Matte Finish  
Up to 5 year Vertical

2.1 mil film with a kraft paper liner and permanent adhesive.

**DOL 1370Z**  
Luster Finish  
Up to 4 year Vertical

1.3 mil film with a kraft paper liner and permanent adhesive.

**DOL 1460Z**  
Gloss Finish  
Up to 4 year Vertical

1.3 mil film with a smooth PET liner and permanent adhesive.

**DOL 2000 Series**  
High-Performance Calendared DOL  
Vertical Durability



The DOL 2000 Series are high-performance calendared films with finishes that range from gloss, luster and matte. These overlaminate films are used with short and medium-term applied graphics on flat to simple curved surfaces. This DOL series meets ASTM E84 Class 1 or A rating and UL® 410 Standard for slip resistance of floor surface materials.

**DOL 2060**  
Gloss Finish  
Up to 3 year Vertical

3.1 mil film with a kraft paper liner and permanent adhesive.

**DOL 2080**  
Matte Finish  
Up to 3 year Vertical

3.1 mil film with a kraft paper liner and permanent adhesive.

**DOL 2070**  
Luster Finish  
Up to 3 year Vertical

3.1 mil film with a kraft paper liner and permanent adhesive.

**DOL 3000 Series**  
Promotional Calendared DOL  
Vertical Durability



DOL 3000 Series overlaminate films are designed for short-term promotional graphics. DOL 3000 films are available in gloss, luster and matte finishes and used for flat surface applications. This DOL series meets ASTM E84 Class 1 or A rating and UL® 410 Standard for slip resistance of floor surface materials.

**DOL 3060**  
Gloss Finish  
Up to 2 year Vertical

3.2 mil film with a kraft paper liner and permanent adhesive.

**DOL 3080**  
Matte Finish  
Up to 2 year Vertical

3.2 mil film with a kraft paper liner and permanent adhesive.

**DOL 6000 Series**  
Specialty DOL  
Vertical Durability



Specialty overlaminate films, like DOL 6060 Anti-Graffiti and DOL 6040 Sparkle Gloss, add protection to printed graphic films along with unique features and special effects.

**DOL 6060**  
Gloss Finish  
Anti-Graffiti Protection  
Up to 3 year Vertical

1 mil PET film with a kraft paper liner and permanent adhesive. Designed as a graffiti resistant laminate to protect flat indoor and outdoor markings and decorations against permanent damage from chemicals, solvents or graffiti paints.

**DOL 6040**  
Sparkle Finish  
Up to 2 year Vertical

3 mil cast vinyl film with a PET liner and permanent adhesive. This film provides a metallic look to standard printed decals. The gloss film features a synthetic liner that creates a super smooth high gloss finish.

Select your DOL by durability need, application and print medium

Print Media	Face Finish	Adhesive	Compatibility										Applications <sup>1</sup>										Outdoor Durability (Up to X Years)						Adhesive Removability			Conformability											
			Solvent	UV-Curable	Latex Inks	Fleet/Vehicles	Transit/Bus	Vehicle Windows	Marine/Watercraft	Backlit Signs	Smooth Interior Walls <sup>2</sup>	Textured Walls	POP/Tradeshows	Window Graphics (Flat)	Outdoor Signage	Indoor Floor Graphics <sup>3</sup>	Unprinted	DOL 1060 Max	DOL 1360 Max	DOL 6460 and DOL 6470 PVC Free	DOL 1000Z Series	DOL 1300Z Series	DOL 1460Z	DOL 2000 Series	DOL 3000 Series	Clean	Clean with Heat	Permanent	Flat with Rivets	Compound Curves	Rivets/Corrugation	Flat / Simple Curves	Flat										
Supercast 7-10 Year Durability	MPI 1105 Easy Apply™ RS	Gloss	LTR	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	7	7V 2H	7V 2H	6V 3H	5	4	4	4	4	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓							
	MPI 1105 Easy Apply™	Gloss	LTR	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	7	7V 2H	7V 2H	6V 3H	5	4	4	4	4	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓						
	MPI 1105	Gloss	LTR	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	7	7V 2H	7V 2H	6V 3H	5	4	4	4	4	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓					
	MPI 1106 Hi Tack Easy Apply™	Gloss	Perm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	7	7V 2H	7V 2H	6V 3H	5	4	4	4	4	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
High Performance Calendared 4-6 Years Durability	MPI 1405 PVC Free Easy Apply™ RS	Gloss	LTR	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	12	7V 2H	7V 2H	6V 3H	-	-	-	-	-	-	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓					
	MPI 1060 Transparent	Gloss	Perm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	7	7V 2H	7V 2H	5	5	4	4	4	4	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
	MPI 2050 Translucent	Matte	Perm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	6	5	4	5	5	4	4	4	3	2	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	MPI 2105 Easy Apply™ RS <sup>1</sup>	Gloss	LTR	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	6	5	4	5	5	4	4	3	2	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	MPI 2105 Easy Apply™ <sup>1</sup>	Gloss	LTR	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	6	5	4	5	5	4	4	3	2	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	MPI 2120	Matte	Perm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	6	5	4	5	5	4	4	3	2	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	MPI 2121 Transit Vinyl <sup>1,2</sup>	Matte	Rem	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1	1	1	1	1	1	1	1	1	1	1	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	MPI 2126 Hi Tack Easy Apply™	Matte	Perm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	6	5	4	-	5	4	4	3	2	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	MPI 2610 Wall Film <sup>2</sup>	Luster	Perm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	4	3	3	3	3	3	3	3	3	3	3	2	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MPI 2611 Wall Film <sup>2</sup>	Luster	Rem	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	4	3	3	3	3	3	3	3	3	3	2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Intermediate Calendared 2-5 Years Durability	MPI 2630 Textured Wall Film <sup>2</sup>	Textured	Perm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	3	-	-	-	-	-	-	-	-	-	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	MPI 2631 Textured Wall Film <sup>2</sup>	Textured	Rem	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	3	-	-	-	-	-	-	-	-	-	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	MPI 2528 Perforated Window 50/50	Matte	Rem	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	3	-	1	-	-	1	-	-	-	-	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MPI 2728 Perforated Window 65/35	Matte	Rem	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	3	-	1	-	-	1	-	-	-	-	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MPI 2903 Easy Apply™	Gloss	Perm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	5	4	3	5	4	4	3	2	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MPI 2903	Gloss	Perm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	5	4	3	5	4	4	3	2	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MPI 2902	Gloss	Rem	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	5	4	3	5	4	4	3	2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MPI 2922	Matte	Rem	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	5	4	3	5	4	4	3	2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MPI 2923 Easy Apply™	Matte	Perm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	5	4	4	5	4	4	3	2	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MPI 2923	Matte	Perm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	5	4	4	5	4	4	3	2	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Promo Calendared 1-3 Years Durability	MPI 2920	Matte	Perm	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	5	4	3	5	4	4	3	2	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MPI 2921 Easy Apply™ and StaFlat™	Matte	Rem	✓	✓	✓	✓	✓	✓	✓	✓	✓	1	1	1	1	1	1	1	1	1	1	1	1	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	MPI 3300 & MPI 3303	Gloss	Perm	✓	✓	✓	✓	✓	✓	✓	✓	✓	3	3	3	3	3	3	3	3	3	2	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MPI 3302	Gloss	Rem	✓	✓	✓	✓	✓	✓	✓	✓	✓	3	3	3	3	3	3	3	3	3	2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MPI 3323	Matte	Perm	✓	✓	✓	✓	✓	✓	✓	✓	✓	3	3	3	3	3	3	3	3	3	2	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Reflective Specialty	MPI 3320																																										

For more information on Avery Dennison products and services, contact your sales representative or call Customer Service at **800.282.8379**.

Visit us online at **[graphics.averydennison.com/dol](https://graphics.averydennison.com/dol)**



A475677 04/2023

[graphics.averydennison.com](https://graphics.averydennison.com)

All statements, technical information and recommendations about Avery Dennison products are based upon tests and information believed to be reliable but do not constitute a guarantee or warranty of any kind. All Avery Dennison products are sold with the understanding that the Purchaser has independently determined the suitability of such products for its intended and other purposes.

©2023 Avery Dennison Corporation. All rights reserved. Avery Dennison® is a registered trademark of Avery Dennison Corporation. Avery Dennison brands, product names, antenna designs and codes or service programs are trademarks of Avery Dennison Corporation.