




www.fortuna-digital.com



EQUIPPED TO WIN BIG

WITH THE
HP LATEX 700 AND 800
PRINTER SERIES



AMAZE YOUR CUSTOMERS WITH **HIGH-VALUE JOBS**




Window Graphics and Stickers

High-opacity white¹
on transparent and
colored media. Scratch
resistant prints² help
reduce risk of damage.



Canvas and Wallpapers

Print saturated images on
canvas. Use water-based
Original HP Latex Inks for
wallcoverings with the
certifications that matter.



Vehicle Graphics

Prints come out dry, ready
for immediate lamination.
A flexible HP Latex Ink layer
helps facilitate installation. 3M™
MCS™ Warranty and 3M and Avery
ICS Performance Guarantee³.



Textiles

Print directly onto polyester
and cotton fabrics, including
porous. Produce odorless
textiles,⁴ with striking
contrast and vivid colors.

THE OUTSTANDING BENEFITS OF WHITE HP LATEX INK

WHITE WITHOUT COMPLEXITY¹

*Automatic recirculation system and printhead cleaning
reduce manual purging and help prevent clogs*

THE WHITEST WHITE¹

A high-opacity white that resists yellowing over time¹

HELP AVOID ISSUES WHEN LAMINATING

Flexible and thin ink layer

MINIMIZE WASTE BETWEEN JOBS⁵

By removing the white printhead when not in use¹



⁽¹⁾ White ink available for the HP Latex 700 W and 800 W Printers. Whitest white based on ISO/DIS 23498 compared to competitive alternatives using solvent and UV technologies under \$50,000 USD as of May, 2020. Test performed on black opaque self-adhesive vinyl (L*:4.16–a*:0.48–b*:2.34) with 160%UF printmode using HP 832 1-liter White Latex Ink Cartridge with the HP Latex 700 W Printer and 836 White Latex Ink Cartridge with the HP Latex 800 W Printer. Visual opacity= 91%.

⁽²⁾ HP Latex Overcoat improves scratch resistance on low-cost prints where lamination may be impractical or too expensive. Scratch resistance based on internal HP testing in December 2019 based on ISO1518-2:2011. Estimates by HP Media Performance Lab on a range of media.

⁽³⁾ Warranty coverage varies by region, please see graphics.averydennison.com and 3Mgraphics.com for information about what is offered in your country. Some warranty limitations may apply.

⁽⁴⁾ There is a broad set of media with very different odor profiles. Some of the media can affect the odor performance of the final print.

⁽⁵⁾ When HP 836 White Latex Printheads are placed in the storage cassettes, no white ink is used for servicing when printheads are not in use.

BEAT YOUR DEADLINES ROBUST, SMART, AND PRODUCTIVE PRINTING

Drive high productivity with saturated color at speeds up to 36 m²/hr (388 ft²/hr) outdoor⁶ with the new printheads. Work fast processing reprints with the **printer's built-in job queue**, which can store up to 100 jobs.

CONTROL YOUR PRINT OPERATIONS VIRTUALLY ANYTIME, ANYWHERE WITH HP PRINTOS



+ GET IMMEDIATE NOTIFICATIONS OF ISSUES THAT PREVENT YOU FROM PRINTING

+ ACCESS AND DOWNLOAD JOB INFORMATION

+ MONITOR PRINTER STATUS AND INK LEVELS

Learn more: <http://hp.com/go/latexprintos>

FAST AND EASY LOADING WITH THE RAISABLE CURING MODULE



SHARPEN YOUR SUSTAINABILITY EDGE WITH HP LATEX

If you are concerned about regulations, your customers are becoming sensitive about the environment, or you care about enabling a more comfortable workplace for your operators, then **it is worth learning more about the environmental advantages of HP Latex Technology.**

WATER-BASED HP LATEX INKS
ARE DESIGNED TO AVOID THE HAZARDS
ASSOCIATED WITH SOLVENT AND UV
WITHOUT TRADING OFF PERFORMANCE



UL ECOLOGO¹⁷



Unrestricted for full room décor¹⁸



Level 1 - Zero Discharge of Hazardous Chemicals¹⁹

¹⁶ Applicable to the HP Latex 800 Printer series. Outdoor mode (Banner) 4-pass, 100%. Based on internal HP testing in September 2020 on Avery 3001. Print speed may vary due to the adaptive printing mechanism to avoid image quality defects.

¹⁷ Applicable to fourth-generation HP Latex Inks. UL ECOLOGO[®] Certification to UL 2801 demonstrates that an ink meets a range of multi-attribute, lifecycle-based stringent criteria related to human health and environmental considerations (see ul.com/EL). HP is the only printing company with UL ECOLOGO[®] Certified inks in the "Printing Inks and Graphics Film" product category, see spot.ul.com/main-app/products/catalog/.

¹⁸ Applicable to HP Latex Inks. UL GREENGUARD Gold Certification to UL 2818 demonstrates that products are certified to UL's GREENGUARD standards for low chemical emissions into indoor air during product usage. Unrestricted room size—full decorated room, 33.4 m² (360 ft²) in an office environment, 94.6 m² (1,018 ft²) in a classroom environment. For more information, visit ul.com/gg.

¹⁹ Zero Discharge of Hazardous Chemicals. Applicable to HP Latex Inks. The ZDHC Roadmap to Zero Level 1 demonstrates that an ink conforms to or meets the standards of the ZDHC Manufacturing Restricted Substances List (ZDHC MRS L) 1.1, a list of chemical substances banned from intentional use during production. ZDHC is an organization dedicated to eliminating hazardous chemicals and implementing sustainable chemicals in the leather, textile, and synthetics sectors. The Roadmap to Zero Program is a multi-stakeholder organization which includes brands, value chain affiliates, and associates, that work collaboratively to implement responsible chemical management practices. See roadmaptozero.com.

IMPACTFUL TECHNOLOGIES AND CAPABILITIES



PRINTERS AT A GLANCE



	HP LATEX 700 Printer	HP LATEX 700 W Printer	HP LATEX 800 Printer	HP LATEX 800 W Printer
MAXIMUM MEDIA WIDTH	1.63 m (64 in)	1.63 m (64 in)	1.63 m (64 in)	1.63 m (64 in)
CARTRIDGE SIZE	1 liter	1 liter	3 liters	3 liters
WHITE INK	No	Yes	No	Yes
MAXIMUM ROLL SIZE	55 kg (121 lb)	55 kg (121 lb)	55 kg (121 lb)	55 kg (121 lb)
OUTDOOR QUALITY¹³	31 m²/hr (334 ft²/hr)	31 m²/hr (334 ft²/hr)	36 m²/hr (388 ft²/hr)	36 m²/hr (388 ft²/hr)
INDOOR QUALITY¹³	21 m²/hr (226 ft²/hr)	21 m²/hr (226 ft²/hr)	25 m²/hr (269 ft²/hr)	25 m²/hr (269 ft²/hr)

¹⁰ Compared to the previous models (HP Latex 300 and 500 Printer series)

¹¹ White ink available for the HP Latex 700 W and 800 W Printers. Whitest white based on ISO/DIS 23498 compared to competitive alternatives using solvent and UV technologies under \$50,000 USD as of May, 2020. Test performed on black opaque self-adhesive vinyl (L*4.16 – a:0.48-b:2.34) with 160% UF printmode using HP 832 1-liter White Latex Ink Cartridge with the HP Latex 700 W Printer and HP 836 White Latex Ink Cartridge with the HP Latex 800 W Printer. Visual opacity = 91%.

¹² See hp.com/go/mediasolutionslocator.

¹³ 36 m²/hr (388 ft²/hr) applicable to the HP Latex 800 Printer series. For all printers, Outdoor mode (Banner) 4-pass, 100%. Indoor mode (SAV) 6-pass, 100%. Based on internal HP testing in September 2020 on Avery 3001. Print speed may vary due to the adaptive printing mechanism to avoid image quality defects.

¹⁴ There is a broad set of media with very different odor profiles. Some of the media can affect the odor performance of the final print.