

HP Stitch S300 64-in Printer

Gain peace of mind with a complete-printer, ink, media, and software-solution designed to work together perfectly. Navigation is intuitive, and the in-the-box RIP makes colour management easy with this versatile, safe investment.

Active between

Aug 1, 2019 - To be determined



Overview

Rely on the complete solution from HP

For your peace of mind, the printer, ink, media, and software are designed to work together perfectly. Get the print quality you expect with 1200 dpi resolution and the Smart Nozzle Compensation system. Rely on colour consistency from printer to printer.[1]

So easy to use

Intuitive navigation through the 20-cm touchscreen and wide visibility through the large window. Media handling made easy with front media loading. Easy colour management with the HP Ergosoft RIP Color Edition included in the box.

A versatile, safe investment

With a single device, print on both transfer paper and direct-to-fabric[2] with great results. If you've got limited room, this front media loading printer can save you 30% floor space. Avoid unexpected costs with real-time remote monitoring, preventive maintenance, and proactive support.[3]

Specifications

Color(s) of printing supplies Cyan, magenta, yellow, black

Gigabit Ethernet (1000Base-T) Connectivity, standard

Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia and New Zealand (RCM), Electromagnetic compatibility

Japan (VCCI), Korea (KCC)

Energy star certified Yes

ENERGY STAR®; WEEE; EU ROHS; China ROHS; ROHS Korea; ROHS India; ROHS Ukraine; ROHS Turkey; REACH; EPEAT; OSHA; CE marking Environmental certification

Finished output handling Roll feed, take-up reel, automatic cutter (for transfer media)

Ink drop 12 pl

Ink types HP Dve Sub Inks

Manufacturer Warranty One-year limited hardware warranty

Media sizes standard (metric rolls) 580 to 1625-mm rolls

Up to 19.7 mil Media thickness



Media thickness (metric) Up to 0.5 mm

Media types Sublimation transfer papers, sublimation polyester fabrics, sublimation film

Media width, maximum 1625 mm

Model size 1626 mm

Non-Operating Humidity Range 20 to 90% RH (non-condensing)

Non-printable area (roll media) $5 \times 5 \times 0 \times 0$ mm (without edge holders)

Number of print cartridges 4 (cyan, magenta, yellow, black)

Operating humidity range 20 to 80% RH (non-condensing)[2]

Operating temperature range 59 to 86°F

Power Input voltage (auto ranging) 200-240 V (±10%) two wires and PE; 50/60 Hz (±3 Hz); one power cord; 13 A max. Not dual voltage, power supply

varies by part number with # Option code identifier.

Power consumption 1 kW (printing); 80 W (ready); < 2 W (sleep)

Print cartridge volume delivered 775 ml

Print heads 4 HP Thermal Inkjet (2 cyan/black, 2 magenta/yellow)

Print quality color (best) Up to 1200 x 1200 dpi

Print repeatability Average \leq 1 dE2000, 95% of colours \leq 1.5 dE2000[1]

 $Print speed \\ 62 \,m^2/hr - Max \, Speed \, (2-pass); \, 34 \,m^2/hr - Production \, (4-pass); \, 22 \,m^2/hr - Quality \, (6-pass); \, 17 \,m^2/hr - High \, Quality \, (8-pass); \, 17 \,m^2/hr - Max \, Speed \, (2-pass); \, 18$

Print Technology Ink

Print technology HP Dye Sub Printing Technologies

Registration required No

Roll external diameter 250 mm

Roll maximum input 1

Roll maximum weight 42 kg

Safety

IEC 60950-1+A1+A2 compliant; USA and Canada (CSA listed); EU (LVD and EN 60950-1 compliant); Russia, Belarus, and Kazakhstan (EAC);

Ukraïne (UA); Argentina (IRAM)

Software included HP Ergosoft RIP Color Edition

Supported Primary Applications Interior decoration; Fashion; Sportswear; Soft signage

UNSPSC code 43212103

What's in the box

HP Stitch S300 64-in Printer, printer stand, printheads, maintenance cartridge, take-up reel, 3-in spindle, edge holders, user maintenance

 $kit, was te\ bottle, quick\ reference\ guide, setup\ poster, documentation\ software, power\ cords, HP\ Ergosoft\ RIP\ Color\ Edition$

Logistics

Minimum dimensions (W x D x H) $2550 \times 710 \times 1350 \text{ mm}$



Package dimensions (W x D x H) 2800 x 760 x 1240 mm

Package weight 312 kg

UNSPSC code 43212103

UPC number 192018339316

Weight 194 kg

What's in the box

HP Stitch S300 64-in Printer, printer stand, printheads, maintenance cartridge, take-up reel, 3-in spindle, edge holders, user maintenance

kit, waste bottle, quick reference guide, setup poster, documentation software, power cords, HP Ergosoft RIP Color Edition

Overview

[1] The HP Stitch S Printer series provides HP SmartColor tools and a built-in spectrophotometer for colour consistency.

[2] Printing on porous media-direct-to-fabric-is intended for short runs only.

[3] End-to-end service experience managed by HP. Individual services may be provided by HP or an HP-authorized partner. Some services depend on printer, service contract, and region availability.

Specifications

[1] The colour variation inside a printed job has been measured at 6-pass mode on transfer media and also in direct-to-fabric situations within this limit: maximum colour difference (95% of colours) \leq 1.5 dE2000. Reflective measurements on a 943 colour target under CIE standard illuminant D50, and according to the standard CIEDE2000 as per CIE Draft Standard DS 014-6/E:2012. 5% of colours may experience variations above 1.5 dE2000. Backlit substrates measured in transmission mode may yield different results. Results are dependent on sublimation process variability.

[2] Papers are hygroscopic materials. They can absorb or lose moisture depending on external humidity conditions. A low level of substrate's moisture and external relative humidity is always recommended when printing on paper based materials. Recommended external relative humidity is between 25% to 50%.

Legal disclaimer

 ${\tt CE\ marking; ECO\ PASSPORT; ENERGY\ STAR; EPEAT; HP\ Water-Based\ Ink\ technology; i1\ Color\ Technology}$